

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application.

Listing of Claims:

1. (Currently Amended) In an access management system comprising an identity system for managing identity profiles and an access system for providing security of resources across one or more web servers, a method for defining a workflow for managing entity identities, the method comprising the steps of:

the access management system accessing a template that indicates one or more parameters for defining workflows; one or more workflows for managing identity profiles, wherein said one or more parameters comprise one or more parameters that define an operation to be performed on identity profiles as part of said one or more workflows;

creating a definition of a first workflow for managing at least one identity of at least one entity, an identity profile for at least one user, based on said template; template, wherein said identity profile is used by said access management system to control access by said at least one user to said resources across one or more web servers; and

storing said definition of said first-workflow, workflow at a mass storage device.

2. (Original) A method according to claim 1, wherein:
said template includes a set of parameters for each action available to a workflow type.

3. (Original) A method according to claim 1, wherein:
said template is an XML document.

4. (Original) A method according to claim 1, further comprising the steps of:
adding data to said template after said step of storing;
creating a definition of a second workflow after said step of adding data; and

storing said definition of said second workflow.

5. (Original) A method according to claim 1, further comprising the step of:
creating said template.

6. (Original) A method according to claim 5, wherein said step of creating
said template includes the steps of:

adding a set of workflow types to said template;

adding one or more actions for at least a subset of said workflow types; and

adding parameters for at least a subset of said actions.

7. (Original) A method according to claim 1, wherein:
said template applies to only one application.

8 (Original) A method according to claim 1, wherein:
said template includes parameters for creating objects, deleting objects and
changing attributes.

9. (Original) A method according to claim 1, wherein:
said template includes parameters for self registration.

10. (Original) A method according to claim 1, wherein:
said template includes a parameter indicating whether supplied variables can be
used in said step of creating.

11. (Original) A method according to claim 1, wherein:
said template includes a parameter indicating whether additional workflows can
be used to supply data.

12. (Original) A method according to claim 11, wherein:
said additional workflows includes multiple levels of nesting of workflows.

13. (Canceled)

14. (Original) A method according to claim 1, wherein said step of creating includes the step of:

accessing one or more parameters in said template;
offering a set of options based on said accessed parameters; and
receiving a selection of one or more of said offered options.

15. (Original) A method according to claim 1, wherein said step of creating includes the steps of:

determining a first set of possible actions for a particular step based on said template;
reporting said first set of possible actions; and
receiving a selection of a first action of said first set of possible actions.

16. (Original) A method according to claim 1, wherein said step of creating includes the steps of:

determining a first set of possible data types for a particular action based on said template;
reporting said first set of possible data types;
receiving an indication of a variable for said first workflow; and
receiving a selection of a first data type for said variable.

17. (Original) A method according to claim 16, wherein:
said first data type is a variable supplied by another workflow.

18. (Original) A method according to claim 1, wherein said step of creating includes the steps of:

determining whether pre actions are available for a particular action based on said template;

reporting whether pre actions are available for said particular action; and
receiving a selection of whether to add pre actions to said definition of said first
workflow for said particular action.

19. (Original) A method according to claim 1, wherein said step of creating
includes the steps of:

determining a first set of possible entry conditions for a particular action based on
said template;

reporting said a first set of possible entry conditions;

receiving a selection of a first entry condition of said first set of possible entry
conditions;

determining and reporting whether said first entry condition is associated with a
sub-workflow; and

receiving an indication whether said first workflow should wait for said sub-
workflow.

20. (Original) A method according to claim 1, wherein said step of creating
includes the steps of:

determining a first set of possible actions for a particular step based on said
template;

reporting said first set of possible actions;

receiving a selection of a first action of said first set of possible actions;

determining a first set of possible data types for said first action based on said
template;

reporting said first set of possible data types;

receiving an indication of a variable for said first workflow;

receiving a selection of a first data type for said variable;

determining whether pre or post actions are available for said first action based on
said template;

reporting whether pre or post actions are available for said first action;
receiving a selection of whether to add pre or post actions to said definition of
said first workflow for said first action;
determining a first set of possible entry conditions for said first action based on
said template;
reporting said a first set of possible entry conditions;
receiving a selection of a first entry condition of said a first set of possible entry
conditions;
determining and reporting whether said first entry condition is associated with a
sub-workflow; and
receiving an indication whether said first workflow should wait for said sub-
workflow.

21. (Original) A method according to claim 1, wherein said step of creating
includes the steps of:

accessing one or more parameters in said template;
offering a set of options in a graphical user interface based on said accessed
parameters; and
receiving a selection of one or more of said offered options using said graphical
user interface.

22. (Previously presented) One or more processor readable storage devices
having processor readable code embodied on said processor readable storage devices, said
processor readable code comprising software executable by an access management system
comprising an identity system for managing identity profiles and an access system for providing
security of resources across one or more web servers, the set of instructions comprising:

instructions for the access management system to access a template that indicates
one or more parameters for defining workflows; one or more workflows for managing identity

profiles, wherein said one or more parameters comprise one or more parameters that define an operation to be performed on identity profiles as part of said one or more workflows;

instructions to create a definition of a first workflow for managing ~~at least one~~ identity of ~~at least one entity~~, an identity profile for at least one user, based on said ~~template~~; template, wherein said identity profile is used by said access management system to control access by said at least one user to said resources across one or more web servers; and

instructions to store said definition of said ~~first-workflow~~; workflow at a mass storage device.

23. (Previously presented) One or more processor readable storage devices according to claim 22, wherein said set of instructions further comprises:

instructions to add data to said template after said step of storing;

instructions to create a definition of a second workflow after said step of adding data; and

instructions to store said definition of said second workflow.

24. (Previously presented) One or more processor readable storage devices according to claim 22, wherein said set of instructions further comprises instructions to create said template, said instructions to create said template comprising:

instructions to add a set of workflow types to said template;

instructions to add one or more actions for at least a subset of said workflow types; and

instructions to add one or more parameters for at least a subset of said actions.

25. (Original) One or more processor readable storage devices according to claim 22, wherein:

said template includes parameters for self registration.

26. (Original) One or more processor readable storage devices according to claim 22, wherein:

said template includes a parameter indicating whether additional workflows can be used to supply data.

27. (Original) One or more processor readable storage devices according to claim 26, wherein:

said additional workflows includes multiple levels of nesting of workflows.

28. (Canceled)

29. (Previously presented) One or more processor readable storage devices according to claim 22, wherein said instructions to create said definition comprise:

instructions to access one or more parameters in said template;

instructions to offer a set of options in a graphical user interface based on said accessed parameters; and

instructions to receive a selection of one or more of said offered options using said graphical user interface.

30. (Previously presented) One or more processor readable storage devices according to claim 22, wherein said wherein said instructions to create said definition comprise:

instructions to determine a first set of possible actions for a particular step based on said template;

instructions to report said first set of possible actions; and

instructions to receive a selection of a first action of said first set of possible actions.

31. (Previously presented) One or more processor readable storage devices according to claim 22, wherein said instructions to create said definition comprise:

instructions to determine a first set of possible data types for a particular action based on said template;

instructions to report said first set of possible data types;

instructions to receive an indication of a variable for said first workflow; and
instructions to receive a selection of a first data type of said variable, said first
data type is a variable supplied by another workflow.

32. (Previously presented) One or more processor readable storage devices
according to claim 22, wherein said instructions to create said definition comprise:

instructions to determine a first set of possible entry conditions for a particular
action based on said template;

instructions to report said first set of possible entry conditions;

instructions to receive receiving a selection of a first entry condition of said first
set of possible entry conditions;

instructions to determine and reporting whether said first entry condition is
associated with a sub-workflow; and

instructions to receive an indication whether said first workflow should wait for
said sub-workflow.

33. (Currently Amended) An access management system having an identity
system for managing identity profiles and an access system for providing security of resources
across one or more web servers, the access management system comprising:

a communication interface; and

one or more processors in communication with said communication interface; and

a computer readable medium having embodied thereon a set of instructions
executable by the one or more processors, the set of instructions comprising:

(i)——instructions for the access management system to access a template
that indicates one or more parameters for defining workflows; one or more workflows for
managing identity profiles, wherein said one or more parameters comprise one or more
parameters that define an operation to be performed on identity profiles as part of said one or
more workflows;

(ii)——instructions to create a definition of a first workflow for managing ~~at least one identity of at least one entity, an identity profile for at least one user,~~ based on said ~~template; template, wherein said identity profile is used by said access management system to control access by said at least one user to said resources across one or more web servers;~~ and

(iii)——instructions to store said definition of said ~~first-workflow.~~
workflow at a mass storage device.

34. (Previously Presented) An access management system according to claim 33, wherein:

said template includes a parameter indicating whether additional workflows can be used to supply data, said additional workflows includes multiple levels of nesting of workflows.

35. (Canceled)

36. (Previously Presented) An access management system according to claim 33, wherein said instructions to create said definition comprise:

instructions to access one or more parameters in said template;

instructions to offer a set of options in a graphical user interface based on said accessed parameters; and

instructions to receive a selection of one or more of said offered options using said graphical user interface.

37. (Previously Presented) An access management system according to claim 33, wherein said instructions to create said definition comprise:

instructions to determine a first set of possible actions for a particular step based on said template;

instructions to report said a first set of possible actions; and

instructions to receive a selection of a first action of said a first set of possible actions.

38. (Previously Presented) An access management system according to claim 33, wherein said instructions to create said definition comprise:

instructions to determine a first set of possible data types for a particular action based on said template;

instructions to report said first set of possible data types;

instructions to receive an indication of a variable for said first workflow; and

instructions to receive a selection of a first data type of said variable, said first data type is a variable supplied by another workflow.

39. (Previously Presented) An access management system according to claim 33, wherein said instructions to create said definition comprise:

instructions to determine a first set of possible entry conditions for a particular action based on said template;

instructions to report said a first set of possible entry conditions;

instructions to receive a selection of a first entry condition of said first set of possible entry conditions;

instructions to determine and reporting whether said first entry condition is associated with a sub-workflow; and

instructions to receive an indication whether said first workflow should wait for said sub-workflow.

40. (Previously Presented) A method according to claim 1, wherein the workflow performs a task selected from the group consisting of: creating a user, deleting a user, subscribing a user to a group, enrolling a certificate, renewing a certificate, revoking a certificate, and changing a user attribute.

41. (Previously Presented) A method according to claim 1, wherein the at least one entity is selected from among the group consisting of at least one user, at least one group and at least one organization.

42. (Previously Presented) A method according to claim 1, further comprising:
a workflow engine invoking the workflow.

43. (Previously Presented) A method according to claim 42, wherein the
workflow comprises a set of actions comprising one or more actions, the method further
comprising:

a client program performing one of the one or more actions.

44. (Previously Presented) A method according to claim 43, the method
further comprising:

the workflow engine passing to the client program a callback handle uniform
request locator ("callback URL");

the workflow engine pausing the workflow;

upon completion of the one or more actions, the client program invoking the
callback URL; and

upon an invocation of the callback URL, the workflow engine restarting the
workflow.

45. (Previously Presented) A method according to claim 43, wherein
performing the one of the one or more actions comprises:

the client program composing an extended markup language ("XML") document
comprising a request for the one of the one or more actions;

the client program transmitting the XML document for reception by an
application;

the application performing the one of the one or more actions;

the application transmitting a second XML document for reception by the client
program, the second XML document comprising an output message.

46. (Previously Presented) A method according to claim 45, wherein the client program communicates with the application using the simple object access protocol ("SOAP").